

Product Safety Information Sheet

Document: 9030331
 Version: 25.01.2017
 Format: DrägerSensors® (not hazardous material)_PSIS_st_331e_25.01.2017.doc

Date of issue: 25.01.2017
 Supersedes: 29.03.2016
 Status: released

1. Identification of the substance/preparation and of the company/undertaking

1.1 Identification of the substance or preparation:

Trade name: **DrägerSensors® (not classified as hazardous material)**
 Part nos. : various

1.2 Use of the substance/preparation:

Detection of gases, measuring of gas concentrations.

1.3 Company/undertaking name:

Dräger Safety AG & Co. KGaA
 Revalstr. 1
 D-23560 Lübeck
 Telephone number +49 451/882-0
 Fax number +49 451/882-2080
 Contact for information: Dräger Environmental Management
 Telephone number +49 451/882-3125
 Fax number +49 451/882-4606

1.4 Emergency telephone: +49 451/882-2395

1.5 Relevant products:

Part No.	Trade name	Part No.	Trade name
68 07 120	DrägerSensor® Alcotest EC	68 11 340	DrägerSensor® NH ₃ S
68 07 220	DrägerSensor® Alcotest 7410	68 11 410	DrägerSensor® XXS H ₂ S/CO
68 07 810	EX-Sensor C	68 11 525	DrägerSensor® XXS H ₂ S LC
68 07 629	Probenahmeeinheit Alcotest 7410	68 11 530	DrägerSensor® XXS OV
68 08 455	DrägerSensor® Alcotest B	68 11 535	DrägerSensor® XXS OV-A
68 08 680	DrägerSensor® Alcotest P	68 11 540	DrägerSensor® XXS Ozon
68 08 799	DrägerSensor® Alcotest BS	68 11 545	DrägerSensor® XXS NO
68 09 140	DrägerSensor® XS HF/HCl	68 11 950	DrägerSensor® XXS CO H ₂ -CP
68 09 145	DrägerSensor® XS EC NH ₃	68 12 005	DrägerSensor® XXS Phosgen
68 09 165	DrägerSensor® XS EC Cl ₂	68 12 010	DrägerSensor® XXS CO HC
68 09 175	DrägerSensor® XS EC CO ₂	68 12 015	DrägerSensor® XXS H ₂ S HC
68 09 190	DrägerSensor® XS EC Hydrazin	68 12 020	DrägerSensor® XXS PH ₃ HC
68 09 545	DrägerSensor® XS EC Amine	68 12 025	DrägerSensor® XXS H ₂ HC
68 09 645	DrägerSensor® NH ₃ HC	68 12 211	DrägerSensor® XXS E O ₂
68 09 665	DrägerSensor® Cl ₂	68 12 212	DrägerSensor® XXS E CO
68 09 680	DrägerSensor® NH ₃ LC	68 12 213	DrägerSensor® XXS E H ₂ S
68 09 930	DrägerSensor® COCl ₂	68 12 370	DrägerSensor® XXS H ₂
68 09 980	DrägerSensor® Hydride SC	68 12 385	DrägerSensor® XXS O ₂ 100
68 10 180	DrägerSensor® N ₂ H ₄	68 12 535	DrägerSensor® XXS Odorant
68 10 216	DrägerSensor® XS NH ₃ V	68 12 545	DrägerSensor® XXS Amine
68 10 290	DrägerSensor® O ₃	68 12 600	DrägerSensor® XXS NO ₂ LC
68 10 295	DrägerSensor® XS Hydrazin	68 12 745	DrägerSensor® MEC Cl ₂
68 10 360	Dräger Alcotest Sensor 18	68 12 750	DrägerSensor® MEC NH ₃
68 10 500	DrägerSensor® DS PFC	68 12 765	DrägerSensor® MEC HF/HCl
68 10 595	DrägerSensor® AC	68 12 960	Sensor Alcotest 18A
68 10 755	DrägerSensor® COCl ₂	68 13 080	DrägerSensor CatEx Gas
68 10 881	DrägerSensor® XXS O ₂	68 13 095	DrägerSensor® NH ₃ TL

68 10 882	DrägerSensor® XXS CO	68 13 165	DrägerSensor® XXS HCN PC
68 10 883	DrägerSensor® XXS H ₂ S	68 13 200	DrägerSensor® HCN LC
68 10 884	DrägerSensor® XXS NO ₂	68 13 205	DrägerSensor® NO ₂ LC
68 10 885	DrägerSensor® XXS SO ₂	68 13 210	DrägerSensor® XXS CO LC
68 10 886	DrägerSensor® XXS PH ₃	68 13 260	DrägerSensor® NH ₃ FL
68 10 887	DrägerSensor® XXS HCN	68 13 275	DrägerSensor® XXS CO/O ₂
68 10 888	DrägerSensor® XXS NH ₃	68 13 280	DrägerSensor® XXS CO LC/ H ₂ S LC
68 10 889	DrägerSensor® XXS CO ₂	68 13 430	DrägerSensor Alcotest 18D
68 10 890	DrägerSensor® XXS Cl ₂	68 50 900	B/O ₂ -Sensor (DW)
68 11 044	100 x DrägerSensor® Alcotest B	68 50 930	O ₂ Sensor (Knopf)
68 11 050	DrägerSensor CatEx 125	68 72 500	O ₂ Sensor Oxycell
68 11 120	DrägerSensor® XS PFC		

2. Hazards identification

2.0 Electrochemical DrägerSensors™ are products which are not subject to identification. The requirements of GHS and, EC regulations 1907/2006 (Reach) and 1272/2008 (GHS/CLP) do not apply to such products. Hence the following information is purely voluntary.

2.1 Classification:

Nature of hazard: n/a

2.2 Particular hazards for man and environment:

Improper handling, destruction of and/or damage to the electrochemical DrägerSensors™ may release very small amounts of organic solvents or inorganic salts/solutions. These substances may be harmful if swallowed, may cause burns and may be irritating to skin and eyes.

3. Composition/Information on ingredients

3.1 Chemical characterisation (constituent):

n/a

3.2 Chemical characterisation (preparation):

n/a

3.3 Other information:

Electrochemical DrägerSensors™ are products which are not subject to identification. The requirements of GHS and, EC regulations 1907/2006 (Reach) and 1272/2008 (GHS/CLP) do not apply to such products. Hence the following information is purely voluntary.

DrägerSensors™ which are not classified as hazardous material may contain small/very small amounts (<1,5ml) of organic and inorganic substances. Due to their characteristics and the small/very small amounts, these substances do not present relevant hazards. Housings are made from polyethylene and polypropylene.

4. First-aid measures

4.1 After inhalation:

Fresh air.

4.2 After contact with skin:

Wash with plenty of water.

4.3 After contact with the eyes:

Flush open eye with plenty of water (for at least 15 minutes). Consult ophthalmologist.

4.4 After ingestion:

Make victim drink plenty of water, induce vomiting, summon doctor.

4.5 Information for the doctor:

The organic solvents or inorganic salts/solutions in the DrägerSensors™ may cause irritations to skin and eyes. Risk of damage to eyes.

5. Fire-fighting measures

5.1 Suitable extinguishing media:

The organic solvents in DrägerSensors™ are combustible. Use extinguishing media appropriate to the environment, preferably water, foam or CO₂.

5.2 Extinguishing media which must not be used for safety reasons:

n/a

5.3 Special exposure hazards arising from substances or preparation itself, combustion products, resulting gases:

Thermal decomposition or combustion of the plastic components and ingredients of the electrochemical DrägerSensors™ may release small amounts of harmful or toxic gases (CO₂, CO etc.).

5.4 Special protective equipment for fire-fighters:

For fire fighting respiratory protection with a compressed air breathing apparatus is recommended.

6. Accidental release measures

6.1 Personal precautions:

Take care to avoid eye and skin contact with released/leaked electrolyte; use safety goggles. Do not inhale vapour/aerosoles.

6.2 Environmental precautions:

Do not discharge electrolyte into the sewer system.

6.3 Methods for cleaning up:

Bind released/leaked electrolyte with suitable absorbent (silica gel) and dispose of correctly. Wash away residues with large amounts of water.

6.4 Additional information:

n/a

7. Handling and storage

7.1 Handling:

Precautions for safety handling:

Closely follow the instructions in the relevant sensor data sheets/instructions for use when handling electrochemical DrägerSensors™. This also applies for all calibration activities and when handling calibration gases. Calibration activities should always be carried out in areas which are well-ventilated or provided with an exhausting device. Observe hazard information.

Information for protection against fire and explosion:

Electrochemical DrägerSensors™ with organic electrolyte contain very small amounts of combustible solvents.

7.2 Storage:

Requirements for storage and containers:

Electrochemical DrägerSensors™ must be stored under the conditions stated in the sensor data sheets (0°C - +30°C [-20°C - +40°C]) and in their original packaging. Observe the use-by date indicated on the packaging.

Information on storage together with other materials:

Observe VCI concept for storing chemicals

Further information on storage conditions:

n/a

Storage class:

10-13 (recommendation) (VCI concept)

7.3 Certain application:

n/a

8. Exposure controls/Personal protection

8.1 Exposure limit values:

With normal handling of the DrägerSensors™ there should be no exposure to contents. However, if exposure does occur, keep exposure as low as possible.

n/a

8.2 Exposure controls:

Additional information on plant design: Handling according to the Instructions for Use.

8.2.1 Occupational exposure controls:

General protection and hygiene measures:

With normal handling of the DrägerSensors™ there should be no exposure to contents. However, if exposure does occur, keep exposure as low as possible.

Personal protection:

8.2.1.1 Respiratory protection:

Recommended when vapours/aerosols are generated in large amounts.

8.2.1.2 Hand protection:

With normal handling of the DrägerSensors™ there should be no exposure to contents. In case of accidents use suitable protective gloves made from PE/ PP, Latex, butyl or nitrile rubber. Please observe the glove manufacturers instructions on permeability and rupture times as well as the specific workplace conditions. Prophylactic skin protection is recommended. Wash hands before breaks and after work.

8.2.1.3 Eye protection:

Not necessary when electrochemical DrägerSensors™ are handled correctly. Use safety goggles if electrolyte is released from the DrägerSensors™.

8.2.1.4 Skin protection:

Prophylactic skin protection is recommended. Wash thoroughly after handling. Skin care.

8.2.2 Environmental exposure controls:

n/a

9. Physical and chemical properties

9.1 General information:

Form: DrägerSensors™ containing colourless liquids.
 Colour: colourless
 Odour: odourless or specific

9.2 Important information about the protection of health, safety and the environment: Method (67/548/EEC):

Solubility:	n/a
pH-value:	n/a
Boiling point:	n/a
Melting point:	n/a
Flame point:	n/a
Inflameability:	n/a
Explosion limits:	
lower:	n/a
upper:	n/a
Ignition temperature:	n/a
Vapour pressure:	n/a
Mass density:	n/a
Further information:	see relevant sensor data sheet and section 2/3

9.3 Other information

cf. relevant sensor data sheet and section 2/3

10. Stability and reactivity

General information:

n/a

10.1 Conditions to be avoided:

n/a

10.2 Materials to be avoided:

n/a

10.3 Hazardous decomposition products:

n/a

Possibility of a dangerous exothermic reaction:

n/a

Dangerous products of decomposition at contact with water:

n/a

10.4 Further information:

n/a

11. Toxicological information

11.1 Toxicity tests:

Classification-relevant LD/LC₅₀-values: n/a

11.1.1 Specific symptoms in animal studies: n/a

11.1.2 Irritant/corrosive effects: n/a

11.1.3 Sensitization: n/a

11.1.4 Subacute and chronic toxicity:

Experiments: n/a

Species: n/a

11.1.5 Carcinogenic, mutagenic and reproductive toxic effects: n/a

11.1.6 Further information: n/a

11.2 Effects on human body/Experiments made in practice:

after inhalation:

n/a

after ingestion:

n/a

after eye contact:

n/a

after skin contact:

n/a

11.3 Additional toxicological information:

Organic solvents and aqueous solutions in electrochemical DrägerSensors™ may be harmful if swallowed, may cause burns and may be irritating to skin and eyes..

Further information:

n/a

12. Ecological information

12.1 Ecotoxicity:

n/a

12.2 Mobility:

n/a

12.3 Persistence and degradability:

Biological decompositionability: n/a
 Behaviour in purification plants: n/a

12.4 Bioaccumulative potential:

n/a

12.5 Other adverse effects:

n/a

12.6 Additional information:

Quantitative data on the ecological effects of the electrochemical DrägerSensors™ and their ingredients are not available. Electrochemical DrägerSensors™ contain electrolytes which are classified as slightly hazardous for water (German water hazard classification: "1"). No ecological problems are to be expected when the electrochemical DrägerSensors™ are handled and used with due care and attention.

13. Disposal considerations

13.1 Product (recommendations):

Utilized and exhausted electrochemical DrägerSensors™ must not be disposed of as household waste. They must be disposed of in accordance with local waste disposal regulations or by hiring an appropriate disposal company. Disposal is regulated by federal and state waste disposal laws and the corresponding regulations or other national regulations.

Dräger Safety AG & Co. KGaA takes back expired and exhausted electrochemical DrägerSensors™ and ensures correct recycling or disposal after separating off usable materials (a charge is made to cover costs).

Waste category:	EWL (European waste list):	160216
Waste designation:	Components removed from discarded equipment other than those mentioned in 160215	
Obligation to prove correct disposal:	no	

13.2 Not cleaned packaging material (recommendations):

n/a

14. Transport information

14.1 Road transport ADR/RID and GGVSE (cross-border/domestic):

UN-No.:	n/a	Class:	n/a	Packing group:	n/a
Name:	n/a	Classification code:	n/a		
Remarks:	The electrochemical DrägerSensors™ mentioned in this MSDS are not subject to the provisions of ADR/GGVSE.				

14.2 Marine transport IMDG-Code/GGVSee:

UN-No.	n/a	Correct technical name:	n/a		
Class:	n/a	Sub risk:	n/a	Packing group:	n/a
EmS-No.:	n/a	MFAG:	n/a		
Marine pollutant:	n/a				
Remarks:	n/a				

14.3 Air transport ICAO-TI and IATA-DGR:

UN-No.	n/a	Proper shipping Name:	n/a		
Class	n/a	Sub risk:	n/a	PG:	n/a
Remarks:	The electrochemical DrägerSensors™ mentioned in this MSDS are not subject to the provisions of ICAO-TI and IATA-DGR.				

14.4 Transport/further information:

n/a

15. Regulatory information

15.1 Labelling according to EC Regulations:

Hazard pictograms and signal word for dangerous substances and preparations: No labelling necessary
 Hazardous components to be indicated on label: contains: n/a

H-Phrases:

n/a

P-Phrases (recommendation):

P102 Keep out of reach of children.

P302+P352 IF ON SKIN: Wash with plenty of water.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P308+P313 IF exposed or concerned: Get medical advice/attention.

15.2 National regulations:

Additional classification acc. to GefStoffV Annex II No. (only if differing from EC classification): n/a

Restrictions of occupation: n/a

Statutory order on hazardous incidents: n/a

Water pollution class: 1 (self-classification)

Information according 1999/13/EC about limitation of emissions of volatile organic compounds (VOC-guideline): n/a

Further regulations, restrictions, and prohibition regulation:

(such as principles of industrial medicine and health and safety regulations)

Instruction Sheet BG-Chemie (Chemical Professional Association): n/a. Other state regulations may apply. Check individual state requirements.

16. Other information

Use of the substance / preparation:

See section 1.2; additional information in the Instruction for Use.

Relevant H-Phrases:

n.a.

Comments:

n. a.; n/a, ./.: not applicable

MAC: Maximum allowable concentration

COD: Chemical oxygen demand

BOD: Biochemical oxygen demand

EWL: European waste list

VOC: Volatile organic compounds

VCI: Verband der Chemischen Industrie e.V. (Association of the German chemical industry)

WGK: German water hazard class

Further information:

The above information represents our current state of experience and describes the product only with respect to safety requirements. The manufacturer makes no representation and assumes no liability for any direct, incidental or consequential damages resulting from its use. It is the responsibility of the customer to test whether the product is suitable for the purpose intended by the customer.

Data sheet issued by: d-em

Contact: Dr. H.-Chr. Bechthold; hans-christoph.bechthold@draeger.com

Changes to preceding version: In section 1.5.