

**RESTRICTED USE PESTICIDE  
DUE TO ACUTE TOXICITY**

For retail sale to and use by Certified Applicators or persons under their direct supervision,  
and only for those uses covered by the Certified Applicator's certification.

**METH-O-GAS® Q**  
**COMMODITY FUMIGANT**  
**FOR QUARANTINE/REGULATORY USE ONLY**  
**SUPERVISION BY REGULATORY AGENT REQUIRED**

**ACTIVE INGREDIENT: Methyl Bromide ..... 100%**  
**This product weighs 14.4 pounds per gallon.**



**KEEP OUT OF REACH OF CHILDREN**  
**DANGER • PELIGRO • POISON**



THE USE OF THIS PRODUCT IS STRICTLY PROHIBITED IN RESIDENTIAL STRUCTURES INCLUDING, BUT NOT LIMITED TO, SINGLE AND MULTI-FAMILY RESIDENTIAL PROPERTIES, AND DAYCARE FACILITIES. THE USE OF THIS PRODUCT IS ALSO STRICTLY PROHIBITED IN NURSING HOMES, HOTELS, DORMITORIES, SCHOOLS, HOSPITALS, AND PUBLIC RESTAURANTS.

DO NOT STORE IN OR WITHIN 100 FEET OF A RESIDENCE. STORE IN A DRY, COOL, WELL-VENTILATED AREA UNDER LOCK AND KEY.

METHYL BROMIDE IS A NEUROTOXIC GAS THAT CAN CAUSE SEVERE RESPIRATORY ISSUES, CONVULSIONS, COMA, LONG-TERM HARM TO THE NERVOUS SYSTEM, OR DEATH.

READ ALL LABELING BEFORE USING THIS PRODUCT AND FOLLOW ALL DIRECTIONS AND PRECAUTIONS. IF YOU DO NOT UNDERSTAND THE LABEL, FIND A CERTIFIED APPLICATOR TO EXPLAIN IT TO YOU IN DETAIL.

Si Usted no entiende la etiqueta, busque a alguien para que se la explique a Usted en detalle. (If you do not understand the label, find someone to explain it to you in detail.)

**FIRST AID**

If inhaled	<ul style="list-style-type: none"> <li>• Move person to fresh air. Keep warm.</li> <li>• If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible.</li> <li>• Do not give anything by mouth to an unconscious person. If <u>not unconscious</u>, rinse mouth out with water.</li> <li>• In all cases of overexposure, get medical attention immediately. Take person to a doctor or emergency treatment facility.</li> </ul>
If Swallowed	<ul style="list-style-type: none"> <li>• Call a poison control center or doctor immediately for treatment advice.</li> <li>• Have a person sip a glass of water if able to swallow.</li> <li>• Do not induce vomiting unless told to by a poison control center or doctor.</li> <li>• Do not give anything to an unconscious person.</li> </ul>
If in eyes	<ul style="list-style-type: none"> <li>• Hold eye open and rinse slowly and gently with water for 15-20 minutes.</li> <li>• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.</li> <li>• In all cases of overexposure, get medical attention immediately. Take person to a doctor or emergency treatment facility.</li> </ul>
If on skin or clothing	<ul style="list-style-type: none"> <li>• Immediately remove contaminated clothing, shoes, and any other item on skin.</li> <li>• Rinse skin immediately with plenty of water for 15-20 minutes.</li> <li>• In all cases of overexposure, get medical attention immediately. Take person to a doctor or emergency treatment facility.</li> </ul>

**HOT LINE NUMBER**

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-800-949-5167 for emergency treatment information.

**NOTE TO PHYSICIAN**

Early symptoms of overexposure are dizziness, headache, nausea and vomiting, weakness and collapse. Lung edema may develop in 2 to 48 hours after exposure, accompanied by cardiac irregularities; these effects are the usual cause of death. Repeated overexposures can result in blurred vision, staggering gait and mental imbalance, with probable recovery after a period of no exposure. Blood bromide levels suggest the occurrence, but not the degree, of exposure. Treatment is symptomatic.

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

EPA REG. NO. 5785-41

EPA EST. NO. 87994-NC-003



Packed for:

**Great Lakes**

C H E M I C A L C O R P O R A T I O N

P.O. BOX 2200 • WEST LAFAYETTE, INDIANA 47996-2200 • U.S.A.

## PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS DANGER

Extremely hazardous liquid and vapor under pressure. Fatal if inhaled or swallowed. Corrosive. Causes skin burns and irreversible eye damage, both of which may have a delayed onset. Do not breathe vapor or gas. Inhalation may cause serious acute illness or delayed lung, nerve, or brain injury. Do not get in eyes, on skin or on clothing.

Methyl bromide vapor is odorless and non-irritating to skin and eyes during exposure. Exposure to toxic levels may occur without warning or detection by the user.

### PERSONAL PROTECTIVE EQUIPMENT

Applicators and other fumigation handlers must wear:

- Long-sleeved shirt and long pants
- Shoes and socks
- Protective eyewear when handling liquid.
- In addition, when a respirator is required in this label's *Respirator Requirements* section of the Directions for Use, applicators and other fumigation handlers must wear:
  - a supplied air respirator (NIOSH approval number prefix TC-19C),
  - a self-contained breathing apparatus (SCBA) (NIOSH approval number prefix TC-13F), or
  - if methyl bromide concentrations are less than 5 ppm, a NIOSH-certified half-mask or full-face piece air-purifying respirator with a cartridge certified by the manufacturer for protection from exposure to methyl bromide at concentrations up to 5 ppm (e.g., a 3M air-purifying respirator equipped with 3M Model 60928 Organic Vapor/Acid Gas/P100 cartridges).

See the "User Safety Requirements" section for additional restrictions.

Fumigation handlers entering the fumigation site before methyl bromide has been introduced to the treatment area or after the aeration period has ended are not required to wear the PPE listed above, except when moving, handling, opening fumigant containers, or when taking corrective action when a spill or leak has occurred.

**Observe all User Safety Requirements and User safety recommendations as set forth in the accompanying label booklet, GLK 398G. Refer to the label booklet GLK 398G for additional precautionary information, detailed Directions for Use Instructions, Respirator Requirements, Buffer Zones, Work Time Restrictions, and Storage and Disposal instructions. All fumigation directions, including dosage rates, exposure times and aeration periods are given in the accompanying use directions label booklet, GLK 398G.**

**Notice: Read the entire label and booklet. Use only according to label and booklet directions.**

### ENVIRONMENTAL HAZARDS

This product is toxic to mammals and birds. Keep out of lakes, streams and ponds. Do not contaminate water by cleaning of equipment or disposal of equipment washwater or rinsate.

## PHYSICAL AND CHEMICAL HAZARDS

Contents under pressure. Do not use or store near heat or open flame. In fires fueled by other materials, Meth-O-Gas® Q may liberate hazardous gases. Meth-O-Gas® Q used as a gaseous fumigant, is generally non-corrosive under dry conditions. However, the use of liquid methyl bromide with aluminum, magnesium, zinc and alkali metals may result in the liberation of toxic gases, and possible fire and explosion. In addition, the use of liquid methyl bromide may cause severe corrosion of containers and equipment made of these metals.

### DIRECTIONS FOR USE

**It is a violation of Federal law to use this product in a manner inconsistent with its labeling.** Do not apply this product in a way that will contact handlers or other persons, either directly or through drift. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

#### *Applications in California:*

Where a Restricted Materials Permit with site-specific Final Permit Conditions is required for fumigation pursuant to Title 3 of the California Code of Regulations section 6400, the certified applicator must follow the conditions and instructions specified in the Final Permit Conditions issued by the County Agricultural Commissioner provided that the buffer zone distances are equal to or greater than the buffer zone distances specified in the August 8, 1994 California Methyl Bromide Commodity Fumigation Reference Manual in place of the following sections of this label: *Buffer Zones; Buffer Zone Entry Restrictions; Respirator Requirements & Work Time Restrictions; and Aeration Period.*

#### **Application Restrictions**

Two fumigation handlers must be present during the treatment period, at the initiation of aeration, and when testing for reentry to the treatment area. Only one fumigation handler needs to be present if monitoring is conducted remotely (from outside the treatment area).

Fumigation handlers must be under direct on-site supervision of the certified applicator at the start of the fumigation, at the initiation of aeration, and when testing for reentry to the treatment area.

This fumigant is a highly hazardous material and may be used only by individuals trained in its proper use. Before using, read and follow all label precautions and directions.

All persons working with this fumigant must be knowledgeable about the hazards, and trained in the use of required respirator protection equipment and detector devices, emergency procedures, and proper use of the fumigant.

Meth-O-Gas® Q may be used for quarantine/regulatory commodity fumigation only. Supervision by a regulatory agent is required. This product is to be used for these purposes ONLY IN: (a) enclosed spaces and structures that are intended or used for processing, transportation, handling, or storage of food products, agricultural commodities or other materials and products identified on this label; (b) enclosed spaces and structures in which food products, agricultural commodities, or other materials and products identified on this label have been processed, transported, handled or stored; and, (c) when this product is used for the

foregoing purposes, storage areas, work areas, and other areas which are located within or adjacent to the facility (such as employee break rooms, food service areas, or test kitchens) and which cannot be isolated from the treatment area may be considered part of the treatment area if they are evacuated of all persons who are not applicators or other fumigation handlers.

DO NOT USE THIS PRODUCT IN residential structures or in public food service facilities (such as public restaurants) or for any purposes other than those described above.

This fumigant is highly hazardous material and may be used only by individuals trained in its proper use. You must carefully read and understand the accompanying use directions in the label booklet (GLK 398G), in order to use Meth-O-Gas® Q. Observe all safety and precautionary statements as set forth in the accompanying use directions in the label booklet (GLK 398G). All fumigation directions, including dosage rates, exposure times and aeration periods are given in the accompanying use directions in the label booklet (GLK 398G).

**AERATION AND REENTRY.** See AERATION PERIOD in accompanying label booklet (GLK 398G) for instructions.

### STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

#### Pesticide Storage

Store in a dry, cool, well-ventilated area under lock and key. Post as a pesticide storage area. Persons moving, handling, or opening fumigant containers must wear the personal protective equipment (including prescribed respirators when necessary) specified in the *Personal Protective Equipment* section of this labeling. Store cylinders upright, secured to a rack or wall to prevent tipping. Cylinders should not be subjected to rough handling or mechanical shock such as dropping, bumping, dragging, or sliding. Do not use rope slings, hooks, tongs or similar devices to unload cylinders. Transport cylinders using hand truck, fork truck or other device to which the cylinder can be firmly secured. Do not remove valve protection bonnet and safety cap until immediately before use. Replace safety cap and valve protection bonnet when cylinder is not in use.

#### Pesticide Disposal

Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste Representative at the nearest EPA Regional Office for guidance.

#### Container Handling

Refillable container. Refill this container with pesticide only. Do not reuse this container for any other purpose. When cylinder is empty, close valve, screw safety cap onto valve outlet, and replace protection bonnet before returning to shipper. Only the registrant is authorized to refill cylinders. Do not use cylinders for any other purpose. Follow registrant's instructions for return of empty or partially empty cylinders.

### STORAGE AND DISPOSAL (continued)

Return empty containers according to the Great Lakes Chemical Corporation Container Return Policy. Contact Great Lakes for policy details. Return partial containers only after consulting Great Lakes Chemical Corporation for proper shipping instructions.

### SPILL AND LEAK PROCEDURES

In case of a rupture of a hose or fitting while applying fumigant, immediately stop the fumigation. Evacuate everyone from the immediate area of spill or leak.

Only applicators or other fumigation handlers, or emergency responders, are permitted to perform corrective action and cleanup. Use personal protective equipment specified in the Personal Protective Equipment (PPE) section of this labeling for entry into affected area to correct problem. Move leaking or damaged cylinders or containers outdoors or to an isolated location, observing strict safety precautions. Work upwind if possible. Allow spill to evaporate. Do not permit entry into spill area by unprotected persons until concentration of methyl bromide is determined to be less than 1.0 ppm. For concentrations of methyl bromide over 1.0 ppm, see the Respirator Requirements and Work Time Restrictions section of this label for additional directions.

Contaminated soil, water and other cleanup debris is a toxic hazardous waste. Report spill to the National Response Center (800-424-8802) if the reportable quantity of 1000 pounds is exceeded.

### STATEMENT OF WARRANTY AND LIABILITY

The directions for use of this product are believed to be adequate and must be followed carefully.

Seller warrants that this product complies with the specifications expressed in this label and label booklet, GLK 398G. SELLER MAKES NO OTHER WARRANTIES; AND DISCLAIMS ALL OTHER WARRANTIES, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO WARRANTIES OF MERCHANTABILITY AND FITNESS FOR THE INTENDED PURPOSE. To the extent consistent with applicable law, Seller's liability for default, breach, or failure under this label shall be limited to the amount of the purchase price. To the extent consistent with applicable law, Seller shall have no liability for consequential damages.

To the extent consistent with applicable law, the registrant assumes no responsibility for loss or damage due to required quarantine and trade fumigations using this product. Nursery stock and plant materials are generally intolerant of excessive exposure to this product and damage may occur. The condition of the material at the time of treatment will determine its reaction to treatment. Some of the factors that must be fully considered prior to fumigation of nursery stock and plant materials are the method of packing, degree of root exposure, ventilation, temperature, delays in transit, and broken dormancy.

NET WT. \_\_\_\_\_

LOT NUMBER \_\_\_\_\_



**WARNING:** Contains methyl bromide, a substance which harms public health and environment by destroying ozone in the upper atmosphere.