MATERIAL SAFETY DATA SHEET FLY TERMINATOR ATTRACTANT

Revision: 05/06/2008

Supersedes Revision: 05/31/2007

1. Product and Company Identification

Product Code: F-FLY TERMNTR

Product Name: FLY TERMINATOR ATTRACTANT

Reference #: 3002729

Manufacturer Information

Company Name: Distributed by:

Wellmark International
1501 E. Woodfield Rd.
Suite 200-West,
Schaumburg, IL 60173

Transportation

Emergency Contact: CH EMTREC (800)424-9300 **Emergency Contact:** PROSAR (800) 347-8272

Chemical Family: Compound

Additional Identity Information

Fly Terminator Trap plus Attractant: 14604

Fly Terminator Pro: 3001920

2. Composition/Information on Ingredients

 Hazardous Components (Chemical Name)
 CAS # Concentration
 OSHA PEL
 ACGIH TLV

 1
 Ethyl Alcohol
 64-17-5 30.0 -35.0 %
 1000 ppm
 1000 ppm

 2
 Isopropyl alcohol
 67-63-0 1.0 -2.0 %
 400 ppm
 No data.

3. Hazards Identification

Emergency Overview: No data available.

Route(s) of Entry: Inhalation? Yes Skin? Yes Eyes? Yes Ingestion? Yes

Potential Health Effects (Acute and Chronic): No data available.

Recommended Exposure Limits: Rats: > 5000 mg/kg

LD 50 / LC 50: Rats >5000 mg/kg

Signs and Symptoms of Exposure: Eye irritation, mucous membrane and upper respiratory tract irritation. Breathing

vapors may cause drowsiness.

Medical Conditions Generally Aggravated By Exposure: NE

NFPA Flammability: 3

4. First Aid Measures

Emergency and First Aid Procedures

IF SWALLOWED: Do NOT induce vomiting. Drink two glasses of water and contact physician or Poison Control Center. Never give fluids or induce vomiting if patient is unconscious or having convulsions.

IF INHALED: Remove to fresh air, administer artificial respiration if required. Obtain medical attention.

IF IN EYES: Flush eyes with water for 15 minutes; obtain medical attention.

IF ON SKIN: Wash with soap and water; obtain medical attention if irritation persists.

Fly Terminator Attractant

Supersedes Revision: 05/31/2007

Revision: 05/06/2008

5. Fire Fighting Measures

Flash Pt: 66.00 F Method Used: Pensky-Marten Closed Cup

Explosive Limits: LEL: 3% UEL: 19%

Fire Fighting Instructions: Approved respirators should be worn. Use water spray to cool containers and to

disperse vapors.

Flammable Properties and Hazards: Flames (from alcohol carrier) may be difficult to see because they are virtually

colorless.

Extinguishing Media: CO2, water, foam, or dry chemical

Unsuitable Extinguishing Media: No data available.

6. Accidental Release Measures

Steps To Be Taken In Case Material Is Released or Spilled

Ventilate area and eliminate all ignition sources. Large spills: dike and remove into drums. Small spills: wipe up or cover with absorbent and remove to container. Wash contaminated area with soap and water followed by an alcohol rinse, taking care to mop up all rinsate (do not spread). CAUTION: Alcohol is flammable.

7. Handling and Storage

Hazard Label Information: Shake well before using

Precautions to Be Taken in Handling: Keep away from heat, sparks, and open flame. Avoid skin and eye contact.

Avoid inhalation of vapors.

Precautions to Be Taken in Storing: Store in a cool, dry location away from food or feed.

Other Precautions: KEEP OUT OF REACH OF CHILDREN

8. Exposure Controls/Personal Protection

Respiratory Equipment (Specify Type): OSHA/MSHA approved respirator

Eye Protection: Chemical goggles

Protective Gloves: Latex, PVC, or neoprene

Other Protective Clothing: Rubber boots, apron if exposure is likely

Engineering Controls (Ventilation etc.): Local exhaust is sufficient.

Work/Hygienic/Maintenance Practices: Wash hands before eating, drinking, smoking or using restroom.

9. Physical and Chemical Properties

Physical States: [] Gas [X] Liquid [] Solid

Melting Point:N.A.Boiling Point:N.A.Autoignition Pt:No data.

Flash Pt: 66.00 F Method Used: Pensky-Marten Closed Cup

Explosive Limits: LEL: 3% UEL: 19%

Specific Gravity (Water = 1): 0.95 at 25.0 C

Vapor Pressure (vs. Air or mm Hg): No data.

Vapor Density (vs. Air = 1): No data.

Evaporation Rate (vs Butyl >1 N.A.

Acetate=1):

Solubility in Water: >96%
Solubility Notes: Miscible

Percent Volatile: 79.0 % by volume.

Corrosion Rate: No data. pH: 4.5

Appearance and Odor: Translucent gel, white to yellow, characteristic fishy-alcohol odor.

MATERIAL SAFETY DATA SHEET FLY TERMINATOR ATTRACTANT

Revision: 05/06/2008

Supersedes Revision: 05/31/2007

10. Stability and Reactivity

Stability: Unstable [] Stable [X]

Conditions to Avoid – Instability: Heat, sparks, flames, direct sunlight and other ignition sources.

Incompatibility - Materials to Avoid: Acids, acid chlorides, acid anhydrides, oxidizing agents.

Hazardous Decomposition or Byproducts: CO, CO2, N compounds, and ammonia.

Hazardous Polymerization: Will occur [] Will not occur [X] **Conditions to Avoid - Hazardous Polymerization** No data available.

11. Toxicological Information

No data available.

Carcinogenicity/Other Information: No data available.

CAS# **Hazardous Components (Chemical Name)** NTP **IARC ACGIH OSHA** Ethyl Alcohol 64-17-5 n.a. A4 n.a. n.a. Isopropyl alcohol 67-63-0 n.a. A4 n.a. NTP? No Carcinogenicity: IARC Monographs? No OSHA Regulated? No

12. Ecological Information

No data available.

13. Disposal Considerations

Waste Disposal Method

Dispose of in accordance with local, State, and Federal regulations.

14. Transport Information

LAND TRANSPORT (US DOT)

DOT Proper Shipping Name Ethanol [or] Ethyl alcohol [or] Ethanol solutions [or] Ethyl alcohol solutions

DOT Hazard Class: 3

DOT Hazard Label: FLAMMABLE LIQUID

UN/NA Number: UN1 170

Packing Group:

Additional Transport Information: Flammable liquid, Alcohol NOS for packages larger than 0.5 liters (1 Qt.). ORM-D,

Consumer Commodity for packages smaller than 0.5 liters (1 Qt).

15. Regulatory Information

No data available.

16. Other Information

Company Policy or Disclaimer

The information and data herein are believed to be accurate and have been compiled from sources believed to be reliable. It is offered for your consideration, investigation and verification.