



DEGESCH
America, Inc.

MATERIAL SAFETY DATA SHEET: SPENT DEGESCH MAGNESIUM PHOSPHIDE PRODUCTS

From:

Fumi-Cel®
Fumi-Strip®

Degesch Magtoxin® Prepac Spot Fumigant
Degesch Magtoxin® Granules

SECTION I - PRODUCT INFORMATION

Manufacturer:

DEGESCH America, Inc.
153 Triangle Dr.
P. O. Box 116
Weyers Cave, VA 24486 USA

Telephone: (540) 234-9281/1-800-330-2525
Telefax: (540) 234-8225
Internet Address: www.degeschamerica.com
E-mail: degesch@degeschamerica.com

EMERGENCY TELEPHONE NOS.:


Human or Animal Emergencies: PROSAR 1-800-308-4856
All Other Chemical Emergencies: CHEMTREC 1-800-424-9300
Emergency and Information - DEGESCH America, Inc. (540) 234-9281 or 1-800-330-2525

Date of Revision: July 2013

SECTION II - HAZARDOUS INGREDIENTS INFORMATION

Identity:

Waste, spent Degesch magnesium phosphide products consist mainly of magnesium hydroxide and inert ingredients in the formulation of the product. The magnesium hydroxide is generated along with phosphine via the following reaction:



Mg(OH) ₃	CAS No. 1309-42-8
Mg ₃ P ₂	CAS No. 12057-74-8
PH ₃	CAS No. 7803-51-2

The spent material will also contain about 0.1 to 0.2 percent unreacted magnesium phosphide. If the spent material or partially exposed product is wet deactivated following directions in the Applicator's Manual, the spent material will contain less than 0.1 percent unreacted magnesium phosphide. The spent waste has very low oral and dermal toxicity, is not a significant fire hazard and is not a RCRA hazardous waste. Spent and partially spent dusts are rather dense and ordinarily do not represent an inhalation hazard. Proper protective equipment should be worn under conditions where significant risks of inhalation are present.

Unreacted or incompletely exposed magnesium phosphide fumigants are highly toxic and are hazardous wastes which will trigger the RCRA laboratory test characteristics of reactivity and ignitability. Since Degesch phosphine fumigants are not manufactured with ingredients listed under the RCRA toxicity characteristic, they will not trigger the toxicity characteristic leaching procedure (TCLP).

ACGIH Exposure Limits:

Phosphine: TLV/TWA 0.3 ppm PH₃, TLV/STEL 1.0 ppm PH₃
Magnesium Oxide Dust: TLV/TWA 10mg/m³

Toxicity:

Acute Oral Toxicity LD₅₀ = 3000 mg/kg(est.)
Acute Dermal Toxicity LD₅₀ > 5000 mg/kg(est.)

NFPA Chemical Hazard Ratings:

Flammability Hazard 0
Health Hazard 0
Reactivity Hazard 0
Special Hazard None

SARA Physical and Health Hazards:

None

SECTION III - PHYSICAL CHARACTERISTICS OF MAGNESIUM PHOSPHIDE

Boiling Point: >1000°C

Vapor Pressure: 0mm Hg @25°C

Density: 2.4g/cc

Solubility in Water: insoluble

Solubility in Acid and Base: very soluble and will liberate small amounts of phosphine

Appearance and Odor:

Spent Degesch magnesium phosphide products are a slight grayish-white in color. They are generally odorless, however, they may have a faint garlic or decaying fish odor due to traces of phosphine being evolved.

SECTION IV - FIRE AND EXPLOSION HAZARD DATA

Flash Point: >800°C

Extinguishing Media: n/a, not flammable

Special Fire Fighting Procedures: n/a

Respiratory Protection:

None required. Use NIOSH/MSHA approved dust mask if spent dust becomes airborne.

Protective Clothing:

Wear gloves when handling magnesium phosphide or its spent dust

Unusual Fire and Explosion Hazards:

None, under ordinary circumstances. However, spent dust will liberate small amounts of phosphine when reacted with acids or bases. The phosphine, if it is allowed to concentrate in a confined area, may be toxic and/or flammable.

SECTION V - REACTIVITY DATA**Stability:**

Spent magnesium phosphide dusts are stable under most conditions. However, the dust will liberate traces of phosphine if contacted by acids or boiling water.

Incompatibility:

None, except as described under Stability.

Corrosion:

None.

HAZARDOUS POLYMERIZATION:

Will not occur.

SECTION VI - HEALTH HAZARD INFORMATION

Routes of Entry:

The primary route of exposure is dermal. However, ingestion and inhalation exposures are also possible. Spent dust from Degesch magnesium phosphide products has very low oral and dermal toxicity. This small risk may be avoided by the use of cloth gloves if the spent dust is likely to be contacted, as required by EPA-approved labeling. Accidental ingestion is avoided by washing, prior to eating, after handling phosphine fumigants. The risk of any significant inhalation is very small because of the high density of the spent dust and its low toxicity.

Acute and Chronic Health Hazards:

Exposure to phosphine at levels up to worker protection limits will not cause any acute effects or carcinogenicity or other chronic health effects. Spent dust has very low acute toxicity via the dermal or oral exposure routes and it is believed to have no chronic toxicity.

Carcinogenicity:

Fumi-Cel[®], Fumi-Strip[®] and Magtoxin[®] are not carcinogenic and magnesium phosphide and other ingredients of spent dust from Degesch fumigants are not known to be carcinogenic.

Signs and Symptoms of Exposure:

There are no signs or symptoms of exposure to spent dust at levels likely to be encountered.

Emergency and First Aid Procedures:

Usually no emergency or first aid procedures are required due to the low toxicity of the spent dust. However, recommended procedures for dealing with overexposures from unreacted magnesium phosphide and phosphine are given below

If the gas or dust from magnesium phosphide is inhaled:

Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.

If magnesium phosphide pellets, tablets or powder are swallowed:

Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

If powder or granules of magnesium phosphide get on skin or clothing:

Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice. Brush or shake material off clothes in a well-ventilated area. Allow clothes to aerate in a ventilated area prior to laundering. Do not leave contaminated clothing in occupied and/or confined areas such as automobiles, vans, motel rooms, etc.

If dust from pellets or tablets gets in eyes:

Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for further treatment advice.

SECTION VII - PRECAUTIONS FOR SAFE HANDLING

Avoid contact with spent dust by using cloth gloves when handling this material. Avoid inhalation of the spent dust. NIOSH/MSHA approved dust masks should be worn if inhalation of the dust is likely to occur.

For Assistance:

Contact - DEGESCH America, Inc.
Telephone: (540) 234-9281 or 1-800-330-2525
Telefax: (540) 234-8225
Internet address: www.degeschamerica.com
E-Mail: degesch@degeschamerica.com

or

PROSAR for Human or Animal Emergencies: 1-800-308-4856
CHEMTREC for All Other Chemical Emergencies: 1-800-424-9300

Disposal of Spent Magnesium Phosphide Fumigants:

When being disposed of, spilled or partially reacted Degesch magnesium phosphide fumigants are hazardous wastes under existing Federal Regulations. If properly exposed, the grayish residual dust after a fumigation will not be a hazardous waste and normally contains only a trace amount of unreacted magnesium phosphide. This waste will be safe for disposal. However, the residual dust from incompletely exposed products will require special care such as wet or dry deactivation.

Triple rinse containers with water or dry deactivate them by exposure to open air for 24 hours or longer. Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities. Rinsate may be disposed of in a storm sewer, sanitary landfill or by other approved procedures. Or, it is permissible to expose empty containers to atmospheric conditions until the residue in the containers is reacted. Then puncture and dispose of in a sanitary landfill or other approved site, or by other procedures approved by state and local authorities.

Some local and state waste disposal regulations may vary from the above recommendations. Disposal procedures should be reviewed with appropriate authorities to ensure compliance with local regulations. Contact your State Pesticide or Environmental Control Agency or Hazardous Waste Specialist at the nearest EPA Regional Office for guidance.

See Degesch America, Inc. MSDS for Magnesium Phosphide fumigants for recommendations on disposal and handling unreacted or incompletely reacted fumigant.

SECTION VIII - CONTROL MEASURES**Respiratory Protection:**

NIOSH/MSHA approved respiratory protection for dusts may be used when inhalation exposure to spent dust is likely to occur.

Protective Clothing:

Wear cloth gloves when handling spent dust from magnesium phosphide fumigants.

Eye Protection:

None required.

We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind, expressed or implied, and we assume no responsibility for any loss, damage, or expense, direct or consequential, arising out of their use.