

Invader®

INSECTICIDE

WITH PROPOXUR

CRACK AND CREVICE INJECTION USE ONLY
15% VOC Formulation
Provides Rapid Kill of listed Industrial Pests
Quick Knockdown

KILLS: Cockroaches, Waterbugs, Spiders (excluding Black Widow and Brown Recluse), Earwigs, Crickets, Sowbugs, Millipedes, Booklice, Silverfish, Ants (excluding Harvester, Fire, Carpenter and Pharaoh), Grain Weevils, Flour Beetles, Drugstore Beetles, Boxelder Bugs, Elm Leaf Beetles, Clover Mites and Termites (This [product][treatment] will kill workers and/or winged reproductive forms of termites present at the time of application only). Application of this product will not provide structural protection nor substitute for mechanical alteration, soil or foundation treatment with termiticide. This product is not to be used as sole protection against termites, as it is not intended for use for elimination of termite infestations nor for protection against future infestations. A professional inspection is recommended.

FOR USE IN Hospitals, Supermarkets, Transportation Equipment (Buses, Boats, Ships, Trains, Trucks, Aircraft), Utilities, Meat Packing and Food Handling Establishments, Schools, Warehouses, Restaurants and Other Commercial Buildings.

Do not spray this product on indoor residential use sites, schools, day care facilities, motels, hotels, and other indoor locations where children may be present.

Do not apply this product in hospital patient rooms while occupied, or in any rooms occupied by the elderly or infirm.

Do not allow people or pets to enter the treated area until sprays have dried.



Manufactured By:



FMC Corporation
2929 Walnut Street
Philadelphia, PA 19104

Net Weight: 14 oz/397 g

EPA Reg. No. 279-3395 EPA Est. No. 11623-GA-1

ACTIVE INGREDIENT:
2-(1-methylethoxy) phenylmethylcarbamate 1.00%
OTHER INGREDIENTS 99.00%
100.00%

Contains Petroleum Distillates

Contains no CFCs or Other Ozone Depleting Substances. Federal Regulations Prohibit CFC Propellants in Aerosols.

KEEP OUT OF REACH OF CHILDREN

CAUTION

See Back Panel for Additional Precautionary Statements.

PRECAUTIONARY STATEMENTS

Hazards to Humans & Domestic Animals

CAUTION

Harmful if swallowed, inhaled, or absorbed through the skin. Avoid breathing of spray mist and provide adequate ventilation of area being treated. Contact with skin, eyes or clothing should also be avoided. Wash thoroughly after using.

FIRST AID

If Swallowed: Immediately call a poison control center or doctor. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give any liquid to the person. Do not give anything by mouth to an unconscious person.

If Inhaled: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.

If on Skin or Clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

If In Eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

HOTLINE NUMBER - Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For emergency information, call (800) 331-3148. For product information call (800) 321-1FMC (1362).

NOTE TO PHYSICIAN - Contains petroleum distillates - vomiting may cause aspiration pneumonia. Contains an N-methyl carbamate that inhibits cholinesterase. Atropine Sulfate is antidotal.

Personal Protective Equipment (PPE)

Applicators and all handlers must wear: Long-sleeved shirt and long pants, socks and shoes and chemical resistant gloves made of barrier laminate, nitrile rubber, neoprene rubber, or viton. Follow manufacturer's requirements for cleaning/maintaining PPE. If there are no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

User Safety Recommendations

Users should wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet. Users should remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. Users should remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

ENVIRONMENTAL HAZARDS

This product is toxic to wildlife and aquatic invertebrates. Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of wastes. Do not contaminate water when disposing of equipment washwaters. Apply this product only as specified on the label.

PHYSICAL OR CHEMICAL HAZARDS

Extremely Flammable. Contents under pressure. Keep away from fire, sparks, and heated surfaces. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting. Do not spray on plastic, painted or varnished surfaces or directly into any electronic equipment such as radios, televisions, computers, etc.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Do not contaminate food, utensils, and food preparation areas.

This insecticide is for use only with injection tube and for injecting into cracks and crevices where insects may be hiding, living and breeding. Place injector tip inch into cracks, crevices, holes and other small openings where insects may be a problem. Release approximately 1 second spray per spot. In serious infestations, if possible, place spots approximately 12 inches apart. In light infestations or preventative treatment, place spots approximately 3 feet apart. See the additional directions below for effective control of specified insects.

APPLICATIONS WITHIN FOOD AREAS OF FOOD HANDLING ESTABLISHMENTS

Limited to Crack & Crevice Treatment Only. Food handling establishments are places other than private residences where food is held, processed, prepared, or served. Food areas include areas for receiving, storage, packaging, preparing, edible waste storage, and enclosed processing systems. Apply a small amount of material directly into cracks and crevices such as expansion joints between different elements of construction or between equipment bases and the floor, wall voids, motor housing, junction boxes or switch boxes, conduits or hollow equipment legs where insects hide. Do not allow the product to be deposited onto exposed surfaces or introduced into the air. Do not contaminate food or food processing surfaces. **Do not use in the serving/dining areas of restaurants. Applications of this product in the food areas of food handling establishments, other than as a crack and crevice treatment, are not permitted.**

CRAWLING PESTS: Cockroaches, Waterbugs, Spiders, Earwigs, Crickets, Sowbugs, and Millipedes --Spray into hiding places such as cracks and crevices, moist areas, openings around pipes and sinks, under refrigerators, behind baseboards, coffee makers, meter boxes and manholes. Will only kill pests present at the time of application. Pests must be directly contacted to be effective. Contact as many pests as possible. Repeat as necessary.

ANTS: Spray into nests, trails and points of entry around doors, windows, structural cracks and crevices. Will only kill pests present at the time of application. Pests must be directly contacted to be effective. Contact as many pests as possible. Repeat as necessary.

BOOKLICE & SILVERFISH: Spray cracks and crevices in baseboards, doorframes, bookcases and storage areas. Will only kill pests present at the time of application. Pests must be directly contacted to be effective. Contact as many pests as possible. Repeat as necessary.

GRAIN WEEVILS, FLOUR BEETLES, CHOCOLATE MOTHS, DRUG-STORE BEETLES (in exposed adult and larval stages) and hibernating stages of BOXELDER BUGS, ELM LEAF BEETLES, CLUSTER FLIES and CLOVER MITES: Contact as many insects as possible when treating infested areas such as cracks and crevices in wall voids, around windows and doorframes, under siding, in machinery, and in dark, secluded areas. Repeat as necessary.

For TERMITES: Locate source of infestation. Apply to voids and channels in damaged wooden members of a structure or to cracks, spaces or bearing joints between wooden members of a structure. Inject 5-10 seconds spray into insect tunnels and cavities. This application is not a substitute for mechanical alteration, soil treatment or foundation treatment but is merely a supplemental treatment. This product is intended to kill workers or winged reproductive forms which may be present in the treated areas.

APPLICATIONS IN AIRCRAFT: Do not use this product in aircraft cabins.

STORAGE & DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

Storage: Do not store near heat or open flame. Store in cool dry area away from children.

Disposal: Do not Puncture or Incinerate! **If empty:** Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency for disposal instructions.

